



## North Well Directional Waverider Buoy

|  |   |  |   |
|--|---|--|---|
| <b>Location</b>                          |   |  |  |
| OS                                       | 565972 E 354111 N                                 |  |   |
| WGS84                                    | Latitude: 53° 03.51' N<br>Longitude: 00° 28.51' E |  |   |
| <b>Instrument type</b>                   |   |  |   |
| Datawell<br>Directional Waverider Mk III |   |  |   |
| <b>Water depth</b>                       | ~31m CD   | Example buoy in situ.<br>Photo courtesy of Fugro Marine<br>GB Limited              | Location of buoy (Google<br>mapping, image ©2019<br>Landsat / Copernicus)           |

## Data Quality

|                          |                        |
|--------------------------|------------------------|
| <b>Recovery rate (%)</b> | <b>Sample interval</b> |
| 27                       | 30 minutes             |

## Monthly Averages - 2006

All times are GMT

| Month     | H <sub>s</sub><br>(m) | T <sub>p</sub><br>(s) | T <sub>z</sub><br>(s) | Dir.<br>(°) | SST<br>(°C) | Bimodal<br>seas (%) | No. of<br>days |
|-----------|-----------------------|-----------------------|-----------------------|-------------|-------------|---------------------|----------------|
| January   | -                     | -                     | -                     | -           | -           | -                   | -              |
| February  | -                     | -                     | -                     | -           | -           | -                   | -              |
| March     | -                     | -                     | -                     | -           | -           | -                   | -              |
| April     | -                     | -                     | -                     | -           | -           | -                   | -              |
| May       | -                     | -                     | -                     | -           | -           | -                   | -              |
| June      | -                     | -                     | -                     | -           | -           | -                   | -              |
| July      | -                     | -                     | -                     | -           | -           | -                   | -              |
| August    | -                     | -                     | -                     | -           | -           | -                   | -              |
| September | 0.44                  | 3.4                   | 2.9                   | 174         | 17.2        | -                   | 6              |
| October   | 0.65                  | 4.4                   | 3.2                   | 146         | 15.4        | -                   | 31             |
| November  | 0.75                  | 4.0                   | 3.2                   | 182         | 10.9        | -                   | 30             |
| December  | 0.70                  | 4.1                   | 3.3                   | 169         | 8.3         | -                   | 31             |

## Monthly Averages - All Years (September 2006 – December 2019)

| Month     | H <sub>s</sub><br>(m) | T <sub>p</sub><br>(s) | T <sub>z</sub><br>(s) | Dir.<br>(°) | SST<br>(°C) | Bimodal<br>seas (%) |
|-----------|-----------------------|-----------------------|-----------------------|-------------|-------------|---------------------|
| January   | 0.72                  | 4.6                   | 3.4                   | 135         | 5.6         | -                   |
| February  | 0.64                  | 4.8                   | 3.5                   | 117         | 5.1         | -                   |
| March     | 0.62                  | 4.7                   | 3.5                   | 113         | 6.0         | -                   |
| April     | 0.59                  | 4.7                   | 3.4                   | 97          | 8.5         | -                   |
| May       | 0.61                  | 4.5                   | 3.4                   | 101         | 11.5        | -                   |
| June      | 0.55                  | 4.5                   | 3.4                   | 96          | 14.4        | -                   |
| July      | 0.50                  | 4.2                   | 3.2                   | 124         | 16.9        | -                   |
| August    | 0.53                  | 4.0                   | 3.1                   | 140         | 17.6        | -                   |
| September | 0.59                  | 4.4                   | 3.3                   | 125         | 16.1        | -                   |
| October   | 0.67                  | 4.5                   | 3.3                   | 131         | 13.6        | -                   |
| November  | 0.76                  | 4.7                   | 3.5                   | 134         | 10.3        | -                   |
| December  | 0.75                  | 4.6                   | 3.4                   | 149         | 7.2         | -                   |

## Storm Analysis

| Date/Time            | H <sub>s</sub><br>(m) | T <sub>p</sub><br>(s) | T <sub>z</sub><br>(s) | Dir.<br>(°) | Water level<br>elevation*<br>(OD) | Tidal stage<br>(hours re.<br>HW) | Tidal<br>range<br>(m) | Tidal<br>surge*<br>(m) | Max.<br>surge*<br>(m) |
|----------------------|-----------------------|-----------------------|-----------------------|-------------|-----------------------------------|----------------------------------|-----------------------|------------------------|-----------------------|
| 07-Dec-2006 20:00:00 | 2.38                  | 5.6                   | 4.5                   | 228         | 2.85                              | HW                               | 5.50                  | -                      | -                     |
| 31-Oct-2006 16:00:00 | 2.24                  | 6.7                   | 5.2                   | 20          | 0.55                              | HW +2                            | 2.40                  | -                      | -                     |

\* Tidal information is obtained from the predicted tide levels (Admiralty Total Tide).

## Annual Statistics

| Year | Annual H <sub>s</sub> exceedance** (m) |      |      |      |      |      | Annual Maximum H <sub>s</sub> |                      |
|------|--|------|------|------|------|------|-------------------------------|----------------------|
|      | 0.05%                                  | 0.5% | 1%   | 2%   | 5%   | 10%  | Date                          | A <sub>max</sub> (m) |
| 2006 | 2.24                                   | 1.86 | 1.68 | 1.59 | 1.38 | 1.16 | 07-Dec-2006 20:00:00          | 2.38                 |
| 2007 | 2.53                                   | 2.20 | 1.98 | 1.73 | 1.45 | 1.19 | 18-Jan-2007 15:00:00          | 3.03                 |
| 2008 | 2.62                                   | 2.03 | 1.83 | 1.69 | 1.44 | 1.17 | 22-Mar-2008 04:00:00          | 2.94                 |
| 2009 | 2.83                                   | 2.01 | 1.83 | 1.65 | 1.38 | 1.12 | 17-Dec-2009 21:00:00          | 3.19                 |
| 2010 | 2.41                                   | 2.05 | 1.94 | 1.79 | 1.51 | 1.22 | 01-Dec-2010 16:30:00          | 2.48                 |
| 2011 | 2.00                                   | 1.61 | 1.51 | 1.40 | 1.22 | 1.05 | 13-Dec-2011 20:00:00          | 2.27                 |
| 2012 | 2.36                                   | 2.03 | 1.82 | 1.56 | 1.31 | 1.08 | 27-Oct-2012 05:00:00          | 2.58                 |
| 2013 | 2.59                                   | 2.13 | 1.89 | 1.70 | 1.36 | 1.15 | 10-Oct-2013 21:00:00          | 3.01                 |
| 2014 | 2.33                                   | 1.91 | 1.70 | 1.50 | 1.22 | 1.04 | 15-Feb-2014 06:00:00          | 2.40                 |
| 2015 | 2.57                                   | 1.84 | 1.69 | 1.52 | 1.26 | 1.07 | 21-Nov-2015 08:30:00          | 3.21                 |
| 2016 | 2.44                                   | 2.00 | 1.88 | 1.60 | 1.33 | 1.08 | 31-May-2016 09:30:00          | 2.61                 |
| 2017 | 3.08                                   | 2.73 | 2.59 | 2.39 | 2.05 | 1.76 | 01-Dec-2017 03:30:00          | 3.13                 |
| 2018 | 2.24                                   | 1.86 | 1.70 | 1.56 | 1.27 | 1.04 | 21-Sep-2018 01:30:00          | 2.28                 |
| 2019 | 2.33                                   | 1.86 | 1.74 | 1.53 | 1.27 | 1.07 | 11-Jun-2019 02:00:00          | 2.52                 |

\*\* i.e. 5 % of the H<sub>s</sub> values measured in 2006 exceeded 1.38 m

## Significant wave height return periods

Return periods for significant wave height can be calculated since the buoy has been deployed for more than 5 years. The return periods are based on 0.5 hourly records and are calculated for periods up to 10 times the record length using a peaks-over-threshold method and Generalised Pareto Distribution (GPD).

| Observation period    | September 2006 to December 2019 |                     |
|-----------------------|---------------------------------|---------------------|
| Return period (years) | Significant wave height (m)     | Comments            |
| 0.25                  | 2.18                            | No depth limitation |
| 1                     | 2.60                            |                     |
| 2                     | 2.79                            |                     |
| 5                     | 3.01                            |                     |
| 10                    | 3.17                            |                     |
| 20                    | 3.31                            |                     |
| 50                    | 3.47                            |                     |
| 100                   | 3.59                            |                     |

## Distribution plots

The distribution of wave parameters are shown in the accompanying graphs/tables of:

- Annual time series of  $H_s$  (red line is 2.18 m storm threshold)
- Incidence of storm waves for 2006. Storm events are defined using the Peaks-over-Threshold method. The highest  $H_s$  of each storm event is shown
- Wave height exceedance each year since deployment
- Percentage of occurrence of  $H_s$ ,  $T_p$ ,  $T_z$  and Direction for 2006
- Wave rose (percentage of occurrence of direction vs.  $H_s$ ) for all measured data
- Joint distribution of all parameters for all measured data, given as percentage of occurrence


## General

The buoy, owned by the Environment Agency, was first deployed on 25 September 2006, at which time the magnetic declination at the site was 2.38° west, changing by 0.14° east per year.


## Acknowledgements

The shore station is kindly hosted by Mablethrope RNLI Lifeboat Station.


### North Well – Significant Wave Height (Hs) during 2006




### Storms at North Well during 2006



### Storms at North Well - all years








### North Well - Wave height exceedance (Hs)



2017 was excluded from the wave height graph. During this year, a large number of storms (12) that exceeded the storm alert threshold were recorded, while only 30% of the total annual dataset was recovered, resulting in a very skewed picture. Nonetheless, 2017 should be considered as a year with very high wave heights.

North Well 2006



North Well 2006 to 2019 - Joint distribution (% of occurrence)

