

## Teignmouth Pier Wave Gauge

### Location

OS: 294370 E 72631 N  
 WGS84: Latitude: 50° 32.63' N Longitude: 003° 29.52' W

### Water Depth

N/A

### Instrument Type

Rosemount WaveRadar Rex

### Data Quality

C1 (%)	Sample interval
99	20 minutes

### Monthly Means

All times GMT

Month	H <sub>s</sub>	T <sub>p</sub>	T <sub>z</sub>	Direction	SST	No. of days
	(m)	(s)	(s)	(°)	(°C)	
January	0.60	-	3.9	-	-	31
February	0.51	-	4.0	-	-	27
March	0.54	-	3.8	-	-	31
April	0.42	-	3.6	-	-	30
May	0.40	-	3.4	-	-	31
June	0.39	-	3.4	-	-	29
July	0.38	-	3.4	-	-	31
August	0.35	-	3.4	-	-	30
September	0.43	-	3.5	-	-	29
October	0.56	-	3.9	-	-	31
November	0.58	-	4.1	-	-	30
December	0.61	-	3.9	-	-	31

Tables and plots of these values, together with the minimum and maximum values and the standard deviation are available on the website.

Highest storm events in 2010									
Date/Time	H <sub>s</sub>	T <sub>p</sub>	T <sub>z</sub>	Dir.	Water level elevation (OD)	Tidal stage (hours re. HW)	Tidal range (m)	Tidal surge* (m)	Max. surge* (m)
16-Jan-2010 06:20	2.13	9.7	5.2	-	2.13	HW +1	3.56	0.23	0.50
12-Jan-2010 15:40	1.92	8.9	5.2	-	1.50	HW -1	2.29	0.38	0.44
17-Nov-2010 14:20	1.88	10.1	5.0	-	1.48	HW	1.67	0.31	0.52
20-Dec-2010 06:40	1.84	7.1	4.8	-	1.61	HW +1	3.03	0.21	0.39

\* Tidal information is obtained from the nearest recording tide gauge (the wave radar also provides tidal data). The surge shown is the residual at the time of the highest H<sub>s</sub>. The maximum tidal surge is the largest positive surge during the storm event.

Year	Annual $H_s$ exceedance* (m)						Annual Maximum $H_s$ (m)	
	0.05%	0.5%	1%	2%	5%	10%	Date	$A_{max}$
2008	-	1.36	1.23	1.05	0.78	0.65	05-Sep-2008 09:00	1.93
2009	2.00	1.65	1.47	1.25	0.97	0.80	29-Dec-2009 03:20	2.17
2010	1.88	1.52	1.40	1.23	0.98	0.79	16-Jan-2010 06:20	2.13

\* i.e. 5 % of the  $H_s$  values measured in 2008 exceeded 0.78m

### Distribution plots

The distribution of wave parameters are shown in the accompanying graphs of:

- Percentage of occurrence of  $H_s$ ,  $T_p$ ,  $T_z$  for 2010
- Percentage wave height exceedance
- Joint distribution of all parameters for 2010, given both as number of observations and as percentage of occurrence
- Cumulative joint distribution of parameters from start of records
- Incidence of storms during 2010. Storm events are defined using the Peaks-over-Threshold method. The highest  $H_s$  of each storm event is shown.
- Annual time series of  $H_s$  (red line is storm waves threshold)





### General

The Wave Radar was deployed on 23 April 2008. It was hit by lightning in July 2009 and required major repair by the manufacturer in Sweden.





### Acknowledgements

TASK2000 tidal prediction software was kindly provided by the Permanent Service for Mean Sea Level, Proudman Oceanographic Laboratory. The wave radar is installed on Teignmouth Pier by kind permission of the pier owners.

Teignmouth Pier 2010



Teignmouth Pier 2010 - Joint distribution



Teignmouth Pier 2008 to 2010 - Joint distribution (% of occurrence)

